1 Identification

Product identifier

Product name: Lithium foil

Stock number: 10769

CAS Number: 7439-93-2 EC number: Index number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street

SU BUTIG STEET Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com

www alfa com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05

Signal word Danger

Hazard statements

H260 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage.

Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B6 - Reactive flammable material D2B - Toxic material causing other Toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 7439-93-2 Lithium Identification number(s): EC number: 231-102-Index number: 003-001-00-4 Safety Data Sheet per OSHA HazCom 2012

Page 2/5 Printing date 11/23/2015 Reviewed on 06/19/2015

Product name: Lithium foil

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water

If this product is involved in a fire, the following can be released:

Lithium oxide

Advice for firefighters Protective equipment:

Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store away from water/moisture.

Do not store together with acids.
Store away from oxidizing agents.
Further information about storage conditions:

Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avail exposts with the over and skip.

Impervious gloves

Safety Data Sheet per OSHA HazCom 2012

Page 3/5 Printing date 11/23/2015 Reviewed on 06/19/2015

(Contd. of page 2)

Product name: Lithium foil

Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480

Glove thickness 0.11 mm

Eye protection: Tightly sealed goggles Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance:

pH-value:

Form: Color: Solid in various forms

Grey Odorless Odor: Odor threshold: Not determined.

Change in condition

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting: 180.5 °C (357 °F) 1342 °C (2448 °F) Not determined

Contact with water liberates extremely flammable gases.

Not applicable

Not determined Not determined Auto igniting: Not determined

Danger of explosion: Explosion limits: Lower: Not determined. Not determined Upper: Not determined 0 hPa

Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): 0.53 g/cm³ (4.423 lbs/gal) Not determined. Relative density Vapor density Evaporation rate Not applicable. Not applicable. Solubility in / Miscibility with

Reacts violently

Contact with water releases flammable gases Partition coefficient (n-octanol/water): Not determined.

Viscosity: Not applicable. kinematic:

Not applicable. No further relevant information available. Other information

10 Stability and reactivity

Reactivity
Reacts violently with water.

In contact with water releases flammable gases which may ignite spontaneously.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents Contact with water releases flammable gases

Conduct with water leads in initiable gases Reacts violently with water **Conditions to avoid** No further relevant information available.

Incompatible materials:

Noxidizing agents
Water/moisture
Hazardous decomposition products: Lithium oxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification: No data

LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information: General notes: Avoid transfer into the environment.

(Contd. of page 3)

Product name: Lithium foil

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA UN1415

UN proper shipping name DOT

Lithium LITHIUM IMDG, IATA

Transport hazard class(es)

DOT



4.3 Substances which, in contact with water, emit flammable gases. Class Label 4.3 (W2) Substances which, in contact with water, emit flammable gases Label

IMDG, IATA



Class 4.3 Substances which, in contact with water, emit flammable gases.
4.3 Label

Packing group DOT, IMDG, IATA

Not applicable. Environmental hazards:

Special precautions for user

EMS Number:

Warning: Substances which, in contact with water, emit flammable gases F-G,S-N

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation": UN1415, Lithium, 4.3, I

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS05

Signal word Danger

Hazard statements

H260 In contact with water releases flammable gases which may ignite spontaneously.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
P231+P232 Handle under inert gas. Protect from moisture.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety Data Sheet per OSHA HazCom 2012

Page 5/5 Printing date 11/23/2015 Reviewed on 06/19/2015

Product name: Lithium foil

(Contd. of page 4)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) IMDG: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal concentration, 50 percent

VPWB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

USA